

A MASTER OF POWER

2022 VERSION

PRODUCT CATALOG

Shenzhen Yima Power Supply Co.,Ltd

Tel: +86-755-2891-3807 Email: sales@yimabattery.com Web: www.yimabattery.com

Add: Room 205, Building 1, Zaimao Industrial Park, No. 12, Baoji Road, Bantian Street, Longgang Dist, Shenzhen, Guangdong Province China

Shenzhen Yima Power Supply Co.,Ltd





CAIALOG

COMPANY PROFILE

01-03

02 CONTENTS

04-12

COMPANY PROFILE

12 YEARS Industrial Experience

Shenzhen Yima Power Supply Co., Ltd.(hereinafter referred to as "Yima") was established in 2017, the management has 12 years of experience in the lithium battery industry for electric bicycle. Yima is mainly committed to the research and development, producing and sales of lithium-ion 18650/ 32650 LFP series cells and battery modules.

IS09001

Management System

Yima has passed the ISO9001 quality management system and ISO14001 environmental management system in 2021, and all products have passed CE, UL, ROSH, UN38.3, MSDS and other certifications.







RoHS



R&D

Production

Sales

Technical Team

Yima not only insists on the principle of quality first, but also insists on the concept of technology first, and has cultivated a technical team from BAK, ATL, Sunwoda, Central South University and other famous enterprises in the industry.



Production Capacity

Yichun factory in Jiangxi province covers an area of 20,000 m², with 20 assembly lines and an annual capacity of 300,000 battery packs.





























Vison&Mission

Corporate Mission:

To provide users with a safe, lightweight and intelligent lithium battery system.

Enterprise Tenet:

Satisfy customers, make employees happy, promote enterprise development, and be responsible to the society.

Corporate Vision:

Return clean land and blue sky to the earth, and let human beings be happy forever.

Core Values:

Integrity, fraternity, innovation, pragmatism, gratitude.





Enterprise Spirit:

Let us have a direction in our hearts, take responsibility for our mission, and work together to create a better future.

Service Concept:

Market-oriented, customer-centric, understanding customer needs, exceeding customer expectations, customer satisfaction is our driving force.

Management Philosophy:

High quality, high efficiency, low consumption, pragmatism and striving to be the vanguard.

Talent Concept:

We need people with both morality and ability, make the best use of staff's talents, common development, and share success.

High Security PACK Design











- 1 Multiple short circuit protection design
- 3 Multiple protection design
- 5 Matrix bus
- Ducted air cooling
- 9 Smart balance

- 2 Shell flame retardant design
- 4 Explosion-proof design
- 6 PI heating design
- 8 Thermal management system

Electric Bike Battery Exploded Views





CONTENTS ELECTRIC BICYCLE SERIES

Applications













YM-JN01

Product Parameters:

Maximum Cells: 18650(118Pcs) / 21700(91Pcs)

Max Capacity: 72V 20Ah / 52V 28Ah / 48V 31.5Ah

Size: 381*183*167mm



YM-HL

Product Parameters:

Maximum Cells: 18650(65Pcs)

Max Capacity: 52V 14Ah / 48V 17.5Ah / 36V 21Ah

Size: 367*90*111mm



YM-DTUBE

Product Parameters:

Maximum Cells : 18650(52Pcs)

Max Capacity : 48V 14Ah / 36V 17.5Ah

Size: 390*90*105mm



YM-DJG



Maximum Cells: 18650(117Pcs)

Max Capacity: 52V 25Ah / 48V 28Ah / 36V 35Ah

Size: 430*160*80mm



YM-RB



Maximum Cells: 18650(60Pcs) Max Capacity: 48V 14Ah / 36V 21Ah

Size: 425*320*64mm



Product Parameters:

YM-SS

Product Parameters:

YM-IR

Product Parameters:

Size: 441*80*108mm

Maximum Cells: 18650(70Pcs) / 21700(60Pcs)

Max Capacity: 48V 20Ah / 36V 30Ah

Maximum Cells: 18650(20Pcs) / 21700(20Pcs)

Max Capacity: 36V 10Ah Size: 630*63.6*131.5mm



YM-KTS04

Product Parameters:

Maximum Cells: 18650(65Pcs) / 21700(65Pcs)

Max Capacity: 48V 25Ah / 36V 30Ah

Size: 685*73*87mm







Maximum Cells: 18650(80Pcs) / 21700(65Pcs)

Max Capacity: 48V 25Ah / 36V 30Ah

Size: 457*62*75mm











CONTENTS ELECTRIC MOTORCYCLE SERIES

Applications







YM-EM



Product Parameters:

Battery Cells: 18650 / 21700 / 26650 Rated Voltage (V): 60V / 72V Capacity (Ah): 20Ah / 30Ah / 42Ah

Size : Customized

Material: Metal Iron Shell

Working Temperature : -20 ~ 60°C

Cycle Life: 800 Times

Application : Electric Motorcycle

YM-EMMC



Product Parameters:

Battery Cells: 18650 / 21700 / 26650

Rated Voltage (V): 48V / 60V

Rated Capacity (Ah): 20Ah / 30Ah / 40Ah

Size: Customized

Material: Metal Iron Shell

Working Temperature : -20 ~ 60°C

Cycle Life: 800 Times

Application : Electric Off-Road Motorcycle

YM-EMHRD



Product Parameters:

Battery Cells: 18650 / 21700 / 26650 Rated Voltage (V): 60V / 72V

Rated Capacity (Ah): 100Ah / 120Ah / 150Ah

Size: Customized

Material : Metal Iron Shell

Working Temperature : -20 ~ 60°C

Cycle Life: 800 Times

Application : High Speed Electric Motorcycle

CONTENTSMOTIVE POWER SERIES

Applications











IP65 Electric Surfboard Battery

Product Parameters:

Rated Voltage(V): 12.8V (Customized)

Capacity (Ah): 24Ah Specification: 4S4P

Cycle Life: 2000-2200Times Material: Metal Iron Shell

Weight: According to Customization
Application: Electric Surfboard

Electric Boat Battery

Product Parameters:

Rated Voltage (V): 48V / 51.2V Capacity (Ah): 85Ah / 100Ah

Specification : According to Customization

Cycle Life: 1000Times Material: Metal Iron Shell

Weight: According to Customization

Application: Electric Boat / Golf Cart / Sightseeing Car

Electric Golf Cart Battery

Product Parameters:

Rated Voltage (V): 51.2V / 60V / 72V
Capacity (Ah): 65Ah / 85Ah / 100Ah
Specification: According to Customization

Cycle Life : 2000-2200Times Material : Metal Iron Shell

Weight : According to Customization

Application: Electric Golf Cart / Tricycle / Forklift /

Sightseeing Car